



Xiangtan Huaxing Material Co., Ltd.



7015CGD2/GNP4 Bearing 2D drawings and 3D CAD models

2.953 Inch | 75 Millimeter x 4.528 Inch | 115 Millimeter x 1.575 Inch | 40 Millimeter NTN 7015CGD2/GNP4 Precision Ball Bearings

Bearing No. 7015CGD2/GNP4

Category	Precision Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.721
EAN	4547359433128
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 7 ISO P4
Material - Ball	Steel
Number of Bearings	2 (1 Pair)
Contact Angle	15 Degree
Preload	Light
Raceway Style	1 Rib Outer Ring
Cage Material	Nylon
Rolling Element	Ball Bearing
Mounting Arrangement	Duplex-Universal
Flush Ground	Yes
Inch - Metric	Metric
Other Features	Single Row Angular Contact
Long Description	75MM Bore; 115MM Outside Diameter; 40MM Width; Open Enclosure; ABEC 7 ISO P4 Precision; Steel Ball Material; 2 (1 Pair)



Xiangtan Huaxing Material Co., Ltd.

	Bearings; 15 Degree Contact Angle; Nylon Cage Material; 1 Rib Outer Ring Racew
Category	Precision Ball Bearings
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	7015CGD2/GNP4
Weight / LBS	1.59
d	2.953 Inch 75 Millimeter
D	4.528 Inch 115 Millimeter
B	1.575 Inch 40 Millimeter
bore diameter:	75 mm
precision rating:	ISO Class 4
outside diameter:	115 mm
cage material:	Nylon
overall width:	40 mm
finish/coating:	Uncoated
contact angle:	15 °
inner ring width:	20 mm
duplex type:	Universal Flush Ground
maximum rpm (oil):	15760 rpm
internal clearance:	C0
maximum rpm (grease):	9840 rpm
closure type:	Open
outer ring width:	20 mm
operating temperature range:	-40 to 120 ° C
fillet radius:	1.1 mm
radial dynamic load	5050 kg



Xiangtan Huaxing Material Co., Ltd.

capacity:	
series:	70
radial static load capacity:	4900 kg
manufacturer product page:	Click here
bearing material:	High Carbon Chrome Steel