



Xiangtan Huaxing Material Co., Ltd.

NTN UCFX15-300D1 Flange Block Bearings



Bearing No. UCFX15-300D1

UCFX15-300D1 Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	8.658
EAN	4547359217766
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Set Screw
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	UCX15-300D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Square Flange Block; 3" Bore; 8-1/2" Bolt Circle; 5-63/64" Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 3.252" Length Thru Bore; Relubricatable; Si
Other Features	Single Row Medium Duty



Xiangtan Huaxing Material Co., Ltd.

	Wide Inner Race Has Flinger
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UCFX15-300D1
Weight / LBS	18
d	3 Inch 76.2 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Nominal Bolt Circle Diameter Round	8.5 Inch 215 Millimeter
D	3.252 Inch 82.6 Millimeter
Bolt Spacing	5.984 Inch 152 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
bore diameter:	3.0000 in
radial dynamic load capacity:	16310 lb
bolt center-to-center length:	5.9844 in
radial static load capacity:	11920 lb
overall length/diameter:	7.7500 in
seal type:	Contact with Flinger
bore type:	Round
length through bore:	3-33/64 in
duty type:	Medium Duty
finish/coating:	Uncoated
mounting type:	Four-Bolt Flange
lubrication type:	Lubrication Fitting
housing material:	Cast Iron
series:	UCFX



Xiangtan Huaxing Material Co., Ltd.

locking device:	Set Screw
standards met:	ISO, AFBMA
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UCX15-300D1